




WATCHMAN[®]
Your Virtual Security Guard

W410 model

Supports a single external camera* 

Advanced Telephone Entry

by  cellgate

For Single Family applications, supports a single call group




W410



Part Numbers

AA1TP VZN
AA1TP ATT



> Key Features

- Customer self-activation
- Calls up to 9 voice contacts
- Verizon or AT&T LTE service, ships with both SIM cards *No VoIP fees required
- Affordable cellular plans (with or without photos)
- 1 native 26-bit Wiegand port
- 5,000 local codes and 64,000 non-local codes
- Internal camera takes photos on telephone entry, access attempts & on demand if you choose a monthly rate plan that supports them
- Prop open notification if gate is left open more than 3 minutes
- TrueCloud™ web portal for administration
- All transactions and photos stored on TrueCloud™ portal
- Integrates with any Cellgate product through TrueCloud™

powered by:



W410 Feature Spotlight



CALLS UP TO 9 NUMBERS



CUSTOMER SELF-ACTIVATION

Customer Self Activation ✓

Allows customer to set up and test the system when it is convenient for them

Calls up to 9 telephone numbers in 3 tiers ✓

Increases the likelihood your visitor reaches someone to grant entry

Voice Mail Intelligence - VMI ✓

System ignores call when reaches voice mail and continues call group

External Camera Options




Single External Camera

Photos

- Taken on entry transactions and on demand
- Cloud-stored still photos

Recorded Video

- Pixel activated video stored on SD card or accessible via CellGate technical support
- Recording w/6-second pre-record




*See external camera sheet for more details



WATCHMAN®
Your Virtual Security Guard

W410 model

Can integrate with CellGate external cameras 

Advanced Telephone Entry

by  cellgate





powered by: 

Web Portal

Manage All Your CellGate Hardware on One Dashboard


- Administrative login privileges
- Call group management
- Resident and visitor credential management
- Time/date restrictions for Wiegand credentials
- Setup and management of notifications, gate hold open schedules
- Date/time logs of all gate and door access attempts, access codes used, and photos of each gate access attempt



- Receive audio calls from visitors
- Create and send visitor QR codes
- Momentary open, hold open or close commands
- Create access codes
- Take photos from internal and external cameras

Apps Available on the App Store and Google Play



SCAN FOR W410 MONTHLY SERVICE PLANS



SCAN FOR TECHNICAL SPECIFICATIONS



1.855.694.2837



cell-gate.com



WATCHMAN®
Your Virtual Security Guard

W450 model

Can integrate with CellGate external cameras

Advanced Telephone Entry
with Live Streaming Video

by cellgate

For Single Family applications, supports a single call group



W450



Part Numbers

AA1WPE VZN
AA1WPE ATT

Recessed Mount Kit

ENC-WRM1001

Key Features

- Streaming video cellular telephone entry
- Customer Self-Activation
- Calls up to 6 video app contacts and 3 voice only numbers
- Verizon or AT&T LTE service, ships with both SIM cards
**No VoIP fees required*
- Backlit LCD display and keypad
- 1 native 26-bit Wiegand Expansion Port
- 5,000 local codes and 64,000 non-local codes
- Internal camera takes photos on access attempts, telephone entry and on demand
- Prop open notification *if gate is left open more than 3 minutes*
- Voice Mail Intelligence - VMI *System ignores call when reaches voice mail and continues call group*
- All transactions and photos stored on TrueCloud™ portal
- Integrates with any CellGate product through TrueCloud™

powered by:



W450 Feature Spotlight



CUSTOMER SELF-ACTIVATION



VIDEO OF VISITORS

Customer Self Activation
Allows customer to set up and test the system when it is convenient for them.

Streaming Video of Visitors
Simultaneously see and speak to visitors before granting entry.

External Camera Options




Up to **3 external cameras**

Photos

- Taken on entry transactions and on demand
- Cloud-stored still photos

Recorded Video

- Pixel activated video stored on SD card or accessible via CellGate technical support
- Recording w/6-second pre-record




**See external camera sheet for more details*



WATCHMAN®
Your Virtual Security Guard

W450 model

Can integrate with CellGate external cameras 

Advanced Telephone Entry
with Live Streaming Video

by  cellgate





powered by: 

Web Portal

Manage All Your CellGate Hardware on One Dashboard

- Administrative login privileges
- Call group management
- Resident and visitor credential management
- Setup and management of notifications, gate hold open schedules
- Date/time logs of all gate and door access attempts, access codes used, and photos of each gate access attempt

 cellgate App

- Receive video/audio calls from visitors
- Momentary open, hold open or close commands
- Create access codes
- Take photos from internal and external cameras

Apps Available on the App Store and Google Play



SCAN FOR W450
MONTHLY SERVICE PLANS



SCAN FOR TECHNICAL
SPECIFICATIONS



1.855.694.2837

 cellgate

cell-gate.com

MULTI-TENANT

W460
model




WATCHMAN®
Your Virtual Security Guard

ADVANCED TELEPHONE ENTRY with LIVE STREAMING VIDEO



Part Numbers
AA1MPE VZN
AA1MPE ATT
AA1MPE INT



CELLGATE EXCLUSIVES

- Streaming video telephone entry
- NEW! Voice Mail Intelligence - VMI
System ignores call when reaches voice mail and continues call tree
- Verizon or AT&T LTE service *No VoIP fees required
- Ships with both AT&T & Verizon SIM cards
- Plug-and-play internet option *No VoIP fees required
- Prop open notification if gate is left open more than 3 minutes

W460 FEATURES

- Built-in HID card reader
- 1 native 26-bit Wiegand Expansion Port
- Up to 1,500 directory listings
- Calls up to 6 app contacts and 3 voice only numbers per directory listing
- Brilliant 7" color touchscreen
- 10,000 local codes and 64,000 non-local codes

External Camera Options

- Up to 3 external cameras

Photos

- Taken on entry transactions and on demand
- Cloud-stored still photos

Video

- Pixel activated video stored on SD card
- Recording w/6-second pre-record



NEW
Watchman WXP*
Wiegand Expansion Panel
4 Door Controller
for Watchman

*See WXP sheet for details

 cellgate

powered by:



*See external camera sheet for more details

1.855.MY.GATES

cell-gate.com



- Created specifically for multi-tenant property managers
- Live training setup appointments available
- Programmatic enrollment/imports
- Assistance with onboarding-including creating call groups, credentials, etc.
- Included with your service subscription

Tenant Benefits

- See live video of visitors
- Easy to use iOS/Android app
- Tenant managed call groups
- Peace of mind through increased security



Dealer Benefits

- Easy 6-wire installation *without external camera*
- Cellular carrier and signal strength verification support
- Enables installers to test all features
- New Pepwave router upgrade
Improved analysis for cellular troubleshooting
- Ships with live SIM
Verizon or AT&T



TrueCloud^{IoT} Web Portal

Manage All Your CellGate Devices on One Dashboard

- Hosted by Microsoft Azure
- Event logs and photos with all transactions
- Create access credentials with time/date restrictions
- Manage notifications
- Administrative login privileges w/multiple user tier levels

NEW! Tiered Monthly Service Plans

- Basic Plan: Voice
- Advantage Plan: Voice & Photos
- Advantage Plus Plan: Voice photos and video

Cellgate App

- Receive video/audio calls from visitors

Property Manager Can:

- Control resident app functions
- Open or hold open from anywhere
- Close on demand (override holds)
- Take photos from internal and external cameras

SPECIFICATIONS

External Camera Options

- Bullet Cameras
 - 4mm Fixed Focal Lens
 - 5-64mm Varifocal Lens
 - 2.8-12mm Varifocal Lens
- Dome Camera
 - 3-10.5mm Varifocal Lens

Internal Camera Angles:

- Horizontal: 120°
- Vertical: 64°

Power Consumption (12v DC): 1A

External Cam: 350mA

1 - Wiegand Expansion Port (26 bit)

2 Relays:

- Contact rating: 0.5A @ 125vAC, 3A@30v DC
- Switching voltage: 277v AC, 220v DC
- Switching current: 4A

2 Digital inputs

IP65

Operating Temperature

-20°C - 55°C -4°F - 131°F

Dimensions (excluding antenna)

- Height- 302mm (11.9")
- Width- 156mm (6.1")
- Depth- 140mm (top, 5.5")
120mm (bottom, 4.7")

Cellular Technology/Networks

- LTE: AT&T and Verizon
- VoIP (no additional service required)
- Full-time IP connection

Internet - plug and play VPN - no router configuration

Included in box


- Watchman W460
- Power supply - 5A
- Magnetic switch
- Installation manual & user manual

Mounts available:

- Pedestal Mount
- Recessed Mount (Optional Kit)

Antenna Options

- L-bracket
- Directional panel
- Signal booster



App Available at
App Store and Google Play



WATCHMAN®
Your Virtual Security Guard

W461 model

Can integrate with CellGate external cameras



Advanced Telephone Entry
with Live Streaming Video

by cellgate

For Multi-Tenant applications, supports up to 1,500 directory listings.



W461



Part Numbers

W461 Surface Mount

Weatherproof Units

- AA1MSE WP VZN
- AA1MSE WP ATT
- AA1MSE WP INT

Flush Mount Kit

ENC-WFM1002

Indoor Units

- AA1MSE VZN
- AA1MSE ATT
- AA1MSE INT



Product includes surface mount flatscreen and component NEMA box

Key Features

- Streaming cellular or internet video telephone entry
- Brilliant 7.5" color touchscreen
- Verizon or AT&T LTE service, ships with both SIMs
**no VoIP fees required*
- Integrates with up to 3 external cameras
- Calls up to 6 app video contacts and 3 voice-only numbers per directory listing
- Voice Mail Intelligence - VMI
System ignores call when reaches voice mail and continues call group
- Built-in HID card reader
- 1 native 26-bit Wiegand expansion port
- 10,000 local codes and 64,000 non-local codes
- Prop open notification
if gate is left open more than 3 minutes
- Integrates with any CellGate product through TrueCloud™

powered by:

W461 Feature Spotlight



QR CODE VISITOR MANAGEMENT




SMART SCREEN CALL MANAGEMENT

QR Code Visitor Management

Visitors can receive QR code invites with restricted date/time access on their smart phones.

Smart Screen Call Management

Customizable touch screen call options, for improved visitor management.



External Camera Options

Up to 3 external cameras

Photos

- Taken on entry transactions and on demand
- Cloud-stored still photos

Recorded Video


- Pixel activated video stored on SD card or accessible via CellGate technical support
- Recording w/6-second pre-record

*See external camera sheet for more details



WATCHMAN®
Your Virtual Security Guard

W461 model

Can integrate with CellGate external cameras 

Advanced Telephone Entry
with Live Streaming Video

by  cellgate




powered by: 

Web Portal

Manage All Your CellGate Hardware on One Dashboard

- Master login for multiple properties
- Login privileges with multiple user tiers
- Call group management
- Resident and visitor credential management
- Mass credential management
- Manage Resident app functions:
 - Allow residents to issue visitor QR code
 - Allow residents to manage call groups
- Setup and management of notifications, gate hold open schedules
- Date/time logs of all gate and door access attempts, access codes used, and photos of each gate access attempt



cellgate App

- Receive video/audio calls from visitors
- Create and send visitor QR codes
- Momentary open or hold open commands
- Create access codes
- Take photos from internal and external cameras

Apps Available on the App Store and Google Play



Customer Support

Dedicated team for multi-tenant property management support

- Included with your service subscription at no charge
- Assists with account setup
- Credential portal upload support
- Both personalized and virtual TrueCloud portal video training
- TrueCloud portal and Cellgate app support for the life of your account



SCAN FOR W461
MONTHLY SERVICE PLANS



SCAN FOR TECHNICAL
SPECIFICATIONS



1.855.694.2837



cell-gate.com



WATCHMAN®
Your Virtual Security Guard

W462 model

With One Step
Network Connectivity

Advanced Telephone Entry
with Live Streaming Video

by cellgate

For single family and multi-tenant applications, supports up to 1,500 directory listings



W462

**ONE STEP
NETWORK
CONNECTIVITY**

Does not support Cellgate
external cameras



**Part
Numbers**

Surface Mount

AAIMSE VPN

Flush Mount Kit

ENC-WFM1002

> Key Features

- Streaming internet video telephone entry
- Brilliant 7.5" color touchscreen
- Voice Mail Intelligence - VMI
System ignores voice mail and continues call group
- Calls up to 6 app video contacts and 3 voice-only numbers per directory listing
- 1 native 26-bit Wiegand expansion port
- Built-in HID card reader
- 10,000 local codes and 64,000 non-local codes
- Prop open notification
if gate is left open more than 3 minutes
- Integrates with any CellGate product through TrueCloud™




powered by: ethernet

W462 Feature Spotlight



**QR CODE VISITOR
MANAGEMENT**



**SMART SCREEN CALL
MANAGEMENT**

One Step Network Configuration ✓

Defaults to DHCP setting. No private IP addresses are required. POE Compatible.

QR Code Visitor Management ✓

Visitors can receive QR code invites with restricted date/time access on their smart phones

Smart Screen Call Management ✓

Customizable touch screen call options, for improved visitor management.



No External Camera Options



WATCHMAN®
Your Virtual Security Guard

W462 model

With One Step
Network Connectivity

Advanced Telephone Entry
with Live Streaming Video

by cellgate




powered by:

Web Portal

Manage All Your CellGate Hardware on One Dashboard

- Master login for multiple properties
- Login privileges with multiple user tiers
- Call group management
- Resident and visitor credential management
- Mass credential management
- Manage Resident app functions:
 - Allow residents to issue visitor QR code
 - Allow residents to manage call groups
- Setup and management of notifications, gate hold open schedules
- Date/time logs of all gate and door access attempts, access codes used, and photos of each gate access attempt



- Receive video/audio calls from visitors
- Create and send visitor QR codes
- Momentary open or hold open commands
- Create access codes
- Take photos from internal camera

Apps Available on the App Store and Google Play



Customer Support

Dedicated team for multi-tenant property management support

- Included with your service subscription at no charge
- Assists with account setup
- Credential portal upload support
- Both personalized and virtual TrueCloud portal video training
- TrueCloud portal and Cellgate app support for the life of your account



SCAN FOR W462
MONTHLY SERVICE PLANS



SCAN FOR TECHNICAL
SPECIFICATIONS



1.855.694.2837

cell-gate.com



WATCHMAN®
Your Virtual Security Guard

W480 model

Can integrate with CellGate external cameras

Advanced Telephone Entry
with Live Streaming Video

by cellgate

For single family and multi-tenant applications, supports up to 1,500 directory listings



W480



Part Numbers

AA1MLPE VZN
AA1MLPE ATT
AA1MLPE INT

Recessed Mount Kit
ENC-WRM1001

Key Features

- Streaming cellular or internet video telephone entry
- Brilliant 8" color touchscreen
- Verizon or AT&T LTE service, ships with both SIM cards
No VoIP fees required
- Integrates with up to 3 external cameras
- Calls up to 6 app video contacts and 3 voice-only numbers per directory listing
- Voice Mail Intelligence - VMI
System ignores voice mail and continues call group
- Built-in HID card reader
- 1 native 26-bit Wiegand expansion port
- 10,000 local codes and 64,000 non-local codes
- Prop open notification
if gate is left open more than 3 minutes
- Integrates with any CellGate product through TrueCloud™



powered by:



W480 Feature Spotlight



QR CODE VISITOR MANAGEMENT



SMART SCREEN CALL MANAGEMENT

Brilliant 8" Color Touchscreen

Larger, brighter, higher-contrast screen for improved user experience and performance in direct sunlight.

QR Code Visitor Management

Visitors can receive QR code invites with restricted date/time access on their smart phones.

Smart Screen Call Management

Customizable touch screen call options, for improved visitor management.

External Camera Options

Up to 3 external cameras

Photos

- Taken on entry transactions and on demand
- Cloud-stored still photos

Recorded Video

- Pixel activated video stored on SD card or accessible via CellGate technical support
- Recording w/6-second pre-record



*See external camera sheet for more details



WATCHMAN®
Your Virtual Security Guard

W480 model

Can integrate with CellGate external cameras

Advanced Telephone Entry
with Live Streaming Video

by cellgate



powered by:

Web Portal

Manage All Your CellGate Hardware on One Dashboard

- Master login for multiple properties
- Login privileges with multiple user tiers
- Call group management
- Resident and visitor credential management
- Mass credential management
- Manage Resident app functions:
 - Allow residents to issue visitor QR code
 - Allow residents to manage call groups
- Setup and management of notifications, gate hold open schedules
- Date/time logs of all gate and door access attempts, access codes used, and photos of each gate access attempt



cellgate App

- Receive video/audio calls from visitors
- Create and send visitor QR codes
- Momentary open or hold open commands
- Create access codes
- Take photos from internal and external cameras

Apps Available on the App Store and Google Play



Customer Support

Dedicated team for multi-tenant property management support

- Included with your service subscription at no charge
- Assists with account setup
- Credential portal upload support
- Both personalized and virtual TrueCloud portal video training
- TrueCloud portal and Cellgate app support for the life of your account



SCAN FOR W480
MONTHLY SERVICE PLANS



SCAN FOR TECHNICAL
SPECIFICATIONS



1.855.694.2837

cellgate

cell-gate.com



WATCHMAN®
Your Virtual Security Guard

W482 model

With One Step
Network Connectivity

Advanced Telephone Entry
with Live Streaming Video

by cellgate

For single family and multi-tenant applications, supports up to 1,500 directory listings



W482

ONE STEP
NETWORK
CONNECTIVITY

Does not support Cellgate
external cameras

Part Numbers

Surface Mount

AA1MLPE VPN

Recessed Mount Kit

ENC-WRM1001

> Key Features

- Streaming internet video telephone entry
- Brilliant 8" color touchscreen
- Calls up to 6 app video contacts and 3 voice-only numbers per directory listing
- Voice Mail Intelligence - VMI
System ignores voice mail and continues call group
- 1 native 26-bit Wiegand expansion port
- Built-in HID card reader
- 10,000 local codes and 64,000 non-local codes
- Prop open notification
if gate is left open more than 3 minutes
- Integrates with any other CellGate product through TrueCloud™



powered by: ethernet

W482 Feature Spotlight



**VISITOR
MANAGEMENT**



**SMART SCREEN CALL
MANAGEMENT**

One Step Network Connectivity ✓

Defaults to DHCP setting. No private IP addresses required. POE compatible.

QR Code Visitor Management ✓

Visitors can receive QR code invites with restricted date/time access on their smart phones.

Smart Screen Call Management ✓

Customizable touch screen call options, for improved visitor management.



No External Camera Options



WATCHMAN®
Your Virtual Security Guard

W482 model

With One Step
Network Connectivity

Advanced Telephone Entry
with Live Streaming Video

by cellgate




powered by:

Web Portal

Manage All Your CellGate Hardware
on One Dashboard

- Master login for multiple properties
- Login privileges with multiple user tiers
- Call group management
- Resident and visitor credential management
- Mass credential management
- Manage Resident app functions:
 - Allow residents to issue visitor QR code
 - Allow residents to manage call groups
- Setup and management of notifications, gate hold open schedules
- Date/time logs of all gate and door access attempts, access codes used, and photos of each gate access attempt



- Receive video/audio calls from visitors
- Create and send visitor QR codes
- Momentary open or hold open commands
- Create access codes
- Take photos from internal camera

Apps Available on the App Store and Google Play



Customer Support

Dedicated team for multi-tenant
property management support

- Included with your service subscription at no charge
- Assists with account setup
- Credential portal upload support
- Both personalized and virtual TrueCloud portal video training
- TrueCloud portal and Cellgate app support for the life of your account



SCAN FOR W482
MONTHLY SERVICE PLANS



SCAN FOR TECHNICAL
SPECIFICATIONS



1.855.694.2837

cell-gate.com



WATCHMAN®
Your Virtual Security Guard

WXL2 model

With One Step
Network Connectivity

Advanced Telephone Entry
with Live Streaming Video

by cellgate

For multi-tenant applications, supports up to 3,000 directory listings



WXL2 Surface Mount

**ONE STEP
NETWORK
CONNECTIVITY**

Does not support Cellgate
external cameras



WXL2 Pedestal Mount

**ONE STEP
NETWORK
CONNECTIVITY**

Does not support Cellgate
external cameras

**Part
Numbers**

WXL2 SURFACE MOUNT

Provides One Wiegand Input
AAIXLSM VPN

Provides Two Wiegand Inputs
AAIXLSM-1X VPN

Provides Three Wiegand Inputs
AAIXLSM-2X VPN

WXL2 PEDESTAL MOUNT

Provides One Wiegand Input
AAIXLPE VPN

Provides Two Wiegand Inputs
AAIXLPE-1X VPN

Provides Three Wiegand Inputs
AAIXLPE-2X VPN

> Key Features

- Streaming internet video telephone entry
- Brilliant 11" color touchscreen
- Calls up to 6 app contacts and 3 voice-only contacts
- Available with up to 3 Wiegand inputs
- Built-in HID card reader
- Built-in postal lock
- 30,000 local codes and 64,000 non-local codes
- Prop open notification if gate is left open more than 3 minutes
- Integrates with any CellGate product through TrueCloud™

powered by: ethernet

WXL2 Feature Spotlight



**QR CODE VISITOR
MANAGEMENT**



**ONE STEP NETWORK
CONNECTIVITY**

One Step Network Connectivity ✓
Defaults to DHCP setting. No Private IP addresses required. POE compatible.

QR Code Visitor Management ✓
Visitors can receive QR codes invites with restricted date/time access on their smart phones.

Smart Screen Call Management ✓
Customizable touch screen call options, for improved visitor management.

Now Available with Up to 3 Wiegand Inputs ✓



No External Camera Options



WATCHMAN®
Your Virtual Security Guard

WXL2 model

With One Step
Network Connectivity

Advanced Telephone Entry
with Live Streaming Video

by cellgate




powered by:

Web Portal

Manage All Your CellGate Hardware
on One Dashboard

- Master login for multiple properties
- Login privileges with multiple user tiers
- Call group management
- Resident and visitor credential management
- Mass credential management
- Manage Resident app functions:
 - Allow residents to issue visitor QR code
 - Allow residents to manage call groups
- Setup and management of notifications, gate hold open schedules
- Date/time logs of all gate and door access attempts, access codes used, and photos of each gate access attempt



- Receive video/audio calls from visitors
- Create and send visitor QR codes
- Momentary open or hold open commands
- Create access codes
- Take photos from internal camera

Apps Available on the App Store and Google Play



Customer Support

Dedicated team for multi-tenant
property management support

- Included with your service subscription at no charge
- Assists with account setup
- Credential portal upload support
- Both personalized and virtual TrueCloud portal video training
- TrueCloud portal and Cellgate app support for the life of your account



SCAN FOR WXL2
MONTHLY SERVICE PLANS



SCAN FOR TECHNICAL
SPECIFICATIONS



1.855.694.2837

cell-gate.com



WATCHMAN[®]
Your Virtual Security Guard

WXL model

Can integrate with CellGate external cameras

Advanced Telephone Entry with Live Streaming Video

by cellgate

For Multi-Tenant applications, supports up to 3,000 directory listings.



WXL Surface Mount



WXL Pedestal Mount

Part Numbers

WXL Surface Mount

AAIXLSM ATT Provides One Wiegand Input
AAIXLSM VZN
AAIXLSM INT

AAIXLSM-1X ATT Provides Two Wiegand Inputs
AAIXLSM-1X VZN
AAIXLSM-1X INT

AAIXLSM-2X ATT Provides Three Wiegand Inputs
AAIXLSM-2X VZN
AAIXLSM-2X INT

Flush Mount Kit part #s in Specifications section.

WXL Pedestal Mount

AAIXLPE ATT Provides One Wiegand Input
AAIXLPE VZN
AAIXLPE-1X INT

AAIXLPE-1X ATT Provides Two Wiegand Inputs
AAIXLPE-1X VZN
AAIXLPE-1X INT

AAIXLPE-2X ATT Provides Three Wiegand Inputs
AAIXLPE-2X VZN
AAIXLPE-2X INT

> Key Features

- Streaming cellular or internet video telephone entry
- Brilliant 11" color touchscreen
- Verizon or AT&T LTE service, ships with both SIM cards **No VoIP fees required**
- Integrates with up to 3 external cameras
- Calls up to 6 app video contacts and 3 voice-only numbers per directory listing
- Voice Mail Intelligence - VMI **System ignores voice mail and continues call group**
- Built-in HID card reader
- Built-in postal lock
- 30,000 local codes and 64,000 non-local codes
- Prop open notification **if gate is left open more than 3 minutes**
- Integrates with any Cellgate product through TrueCloud™

powered by:



WXL Feature Spotlight



QR CODE VISITOR MANAGEMENT



SMART SCREEN CALL MANAGEMENT


Now Available with up to 3 Wiegand ports

QR Code Visitor Management

Visitors can receive QR code invites with restricted date/time access on their smart phones.

Smart Screen Call Management

Customizable touch screen call options, for improved visitor management.



External Camera Options

Up to 3 external cameras

Photos

- Taken on entry transactions and on demand
- Cloud-stored still photos

Recorded Video


- Pixel activated video stored on SD card or accessible via CellGate technical support
- Recording w/6-second pre-record

*See external camera sheet for more details



WATCHMAN[®]
Your Virtual Security Guard

WXL model

Can integrate with CellGate external cameras 

Advanced Telephone Entry
with Live Streaming Video

by  cellgate




powered by: 

Web Portal

Manage All Your CellGate Hardware on One Dashboard

- Master login for multiple properties
- Login privileges with multiple user tiers
- Call group management
- Resident and visitor credential management
- Mass credential management
- Manage Resident app functions:
 - Allow residents to issue visitor QR code
 - Allow residents to manage call groups
- Setup and management of notifications, gate hold open schedules
- Date/time logs of all gate and door access attempts, access codes used, and photos of each gate access attempt



cellgate App

- Receive video/audio calls from visitors
- Create and send visitor QR codes
- Momentary open or hold open commands
- Create access codes
- Take photos from internal and external cameras

Apps Available on the App Store and Google Play



Customer Support

Dedicated team for multi-tenant property management support

- Included with your service subscription at no charge
- Assists with account setup
- Credential portal upload support
- Both personalized and virtual TrueCloud portal video training
- TrueCloud portal and Cellgate app support for the life of your account



SCAN FOR WXL
MONTHLY SERVICE PLANS



SCAN FOR TECHNICAL
SPECIFICATIONS



1.855.694.2837

 cellgate

cell-gate.com